

Danner, Ward

From: Carmen Santos <Santos.Carmen@epamail.epa.gov>
Sent: Wednesday, March 27, 2013 12:18 PM
To: Santos, Carmen
Subject: Fw: USEPA Region 1 guidance for sampling PCBs in concrete
Attachments: Concrete sampling guide_PDF_BW_1S742.pdf

Carmen D. Santos
PCB Coordinator
RCRA Corrective Action Office (WST-5)
Waste Management Division
USEPA Region 9
415.972.3360
santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

[This e-mail message, including any attachments, may contain non-public, privileged and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail message and its attachments is strictly prohibited by law.]

 **Before printing this e-mail think if it is necessary. Think Green!**

----- Forwarded by Carmen Santos/R9/USEPA/US on 03/27/2013 12:17 PM -----

From: Carmen Santos/R9/USEPA/US
To: "Goloubow, Ron" ,
Date: 08/06/2009 04:17 PM
Subject: USEPA Region 1 guidance for sampling PCBs in concrete

Hello, Ron:

Here is the guidance that I mentioned during our conversation.

(See attached file: Concrete sampling guide_PDF_BW_1S742.pdf)

Thank you.

Regards,
Carmen

Carmen D. Santos, Project Manager
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9
415.972.3360
fax: 415.947.3533